



Ring Guide

www.SilverFloret.com

Band Profiles

Flat – Regular Fit




Domed – Regular Fit




Low Dome – Comfort Fit




High Dome – Regular Fit



Full Round




Square



Custom Order

- ✓ Choose Overall Band Style
- ✓ Choose Dimensions
- ✓ Choose Fit, Fillets or Dome

We could also engrave any custom design on either side of a ring band. Just contact us with your requirements for a custom quote.



Popular Comfort Fit Profiles – Custom Order


Lightweight Low Dome




Standard Dome



Ultra Thick High Dome



Print at 100% scale for accurate size reference. When printed, the bars below should measure exactly 2 inches (left) or 5 centimeters (right).



Sizing Guide

US Size	Inside diameter		Inside circumference	
	(in)	(mm)	(in)	(mm)
3	0.554	14.07	1.74	44.2
3¼	0.562	14.27	1.77	44.8
3½	0.57	14.48	1.79	45.5
3¾	0.578	14.68	1.82	46.1
4	0.586	14.88	1.84	46.8
4¼	0.594	15.09	1.87	47.4
4½	0.602	15.29	1.89	48
4¾	0.61	15.49	1.92	48.7
5	0.618	15.7	1.94	49.3
5¼	0.626	15.9	1.97	50
5½	0.634	16.1	1.99	50.6
5¾	0.642	16.31	2.02	51.2
6	0.65	16.51	2.04	51.9
6¼	0.658	16.71	2.07	52.5
6½	0.666	16.92	2.09	53.1
6¾	0.674	17.12	2.12	53.8
7	0.682	17.32	2.14	54.4
7¼	0.69	17.53	2.17	55.1
7½	0.698	17.73	2.19	55.7
7¾	0.706	17.93	2.22	56.3
8	0.714	18.14	2.24	57
8¼	0.722	18.34	2.27	57.6
8½	0.73	18.54	2.29	58.3
8¾	0.738	18.75	2.32	58.9
9	0.746	18.95	2.34	59.5
9¼	0.754	19.15	2.37	60.2
9½	0.762	19.35	2.39	60.8
9¾	0.77	19.56	2.42	61.4
10	0.778	19.76	2.44	62.1
10¼	0.786	19.96	2.47	62.7
10½	0.794	20.17	2.49	63.4
10¾	0.802	20.37	2.52	64
11	0.81	20.57	2.54	64.6
11¼	0.818	20.78	2.57	65.3
11½	0.826	20.98	2.59	65.9
11¾	0.834	21.18	2.62	66.6
12	0.842	21.39	2.65	67.2
12¼	0.85	21.59	2.67	67.8
12½	0.858	21.79	2.7	68.5
12¾	0.866	22	2.72	69.1
13	0.874	22.2	2.75	69.7
13¼	0.882	22.4	2.77	70.4
13½	0.89	22.61	2.8	71
13¾	0.898	22.81	2.82	71.7
14	0.906	23.01	2.85	72.3
14¼	0.914	23.22	2.87	72.9
14½	0.922	23.42	2.9	73.6
14¾	0.93	23.62	2.92	74.2
15	0.938	23.83	2.95	74.8

We size our rings precisely by the US ring standard as outlined in the side table.

Ring sizes are based on the inside diameter of the band and are unisex. Women's rings are most often between sizes 3 and 9, while men's rings are most often sized between 7 and 14. There are several things to consider when measuring your finger.

To properly measure your finger you would need a ring sizer that has similar properties to the ring you would like to buy. Look out for the sizer fit type (regular or comfort). When measuring your finger at a store always request to be measured for the correct ring fit and ring width that you plan to order.

CONSIDER THE WIDTH AND FIT TYPE

Regular Fit rings are flat on the inside. **Comfort Fit** rings are domed on the inside to minimize friction, slide easier over the knuckle, and generally feel more relaxed. If you compare 2 bands that have the same width and ring size (same inside diameter) but one is Regular Fit and the other Comfort Fit, the Regular Fit band would feel tighter than the Comfort Fit band. This is because a wide Regular Fit band covers more of the finger's length with a flat surface. The wider a ring band is, the more the fit type affects the size. Comfort Fit is especially helpful and recommended for rings that are 6mm or wider.

MEASURE RING SIZE MORE THAN ONCE

The sizer ring should fit snugly on your finger. It should slide smoothly when you ease it onto your finger, but it shouldn't come off easily. A properly sized ring minimizes the risk of loss while it doesn't put much pressure on your finger. Measuring repeatedly during different times of the day or even during different days of the week would improve the accuracy of the measurement and help you avoid spending unnecessary time and money resizing your ring later on. Furthermore, some rings are difficult or impossible to resize, so it is very important to purchase the correct size.

TEMPERATURE MATTERS

Fingers change their size depending on temperature. They get bigger in warm weather and shrink in cold weather. It is best to measure your finger in warm temperatures at the end of the day, so it would be at its largest size. When two sizes seem to fit well or if you get two different finger measurements, consider getting the larger size, or consult a professional if possible.

FINGERS AND KNUCKLE SIZE

The dominant hand is usually slightly larger than the other. To avoid any errors, you must measure the exact finger you plan to wear a ring on. A ring should fit on your finger comfortably. If your knuckle is larger than the base of your finger, consider that the ring must be able to pass over the knuckle. If your knuckle is considerably larger (because of arthritis for example), consider an adjustable ring instead of a fixed size ring.

BEWARE OF INACCURATE MEASURING TOOLS

There are many ways to take finger measurements, from online screen tools to printable paper strips or plastic strip sizers. Unfortunately, these easy methods may produce inaccurate results. Going to a local jewelry store to get measured may be a better option. We have, however, stopped recommending this as well, simply because the market is flooded with cheap and inaccurate measuring tools which do not correspond to the US standard. Many stores would not invest in professional true-size tools, especially when reselling mass-produced rings that can be easily exchanged for size. If measuring at a local jewelry store, consider visiting at least 2-3 different locations. Be sure to look out for the fit type of the sizer rings. Both the width of a ring and the fit matter greatly.

DO NOT RELY ON KNOWING YOUR EXISTING RING SIZE

It is not a good idea to rely on knowing your size because you have ordered a certain size in the past and it fits you well. Surprisingly many jewelers do not comply with the standard. Don't be shocked if your most expensive ring from a famous brand is not matching the ring sizing standard. If you have a ring that fits well, confirm its exact inside diameter. Don't forget to also consider the width and fit type.

RESIZING A RING

Most simple bands can be resized by a jeweler. For rings that have diamonds or other stones set directly in the band, however, resizing may be very difficult, costly, and often impossible. This is especially true if the ring has channel-set or flush-set stones that can get displaced by any kind of metalwork. If ordering a diamond ring, please ask us for sizing help.

INTERNATIONAL SIZING STANDARD

For reference about international sizing see: wikipedia.org/wiki/Ring_size

Find an Approximate Ring Size

To find the **APPROXIMATE** size of an existing **REGULAR FIT** ring, print this page at 100% scale and measure the scale-bars at the bottom to confirm the scale is correct. Match the inside of your ring to a circle. The circle should fit perfectly by the inside edge of your ring, with no visible white space between the band and the circle's outline. Depending on the ring's shape, this method may not produce reliable results. Note that this method may be misleading for rings that are not flat on the inside or have rounded inside edges.

Using this chart is not a substitute for measuring your finger with a proper sizer. The inside diameter is just one of the properties required for accurate sizing. Review our sizing tip for more information.



Dimensions

Common Coins

You could use the thickness of common US coins as a reference to get a good visual idea about some ring band dimensions.


Paper Strips

You may cut out some strips to try directly over your finger and visually compare the width.


NOTE: Domed or full-round bands may visually appear thinner and more delicate than flat bands of the same width. It is also important to consider both **width** and **thickness**. A band with the same width but different thickness would have a very different overall appearance.

A **dime** is 1.35mm thick
 A **penny** is 1.55mm thick
 A **quarter** is 1.75mm thick
 A **nickel** is 1.95mm thick

3mm band ≈ stack of 2 pennies
4mm band ≈ stack of 3 dimes
5mm band ≈ stack of 2 quarters + 1 penny
6mm band ≈ stack of 4 pennies OR 3 nickels




Print at 100% scale for accurate size reference. When printed, the bars below should measure exactly 2 inches (left) or 5 centimeters (right).




Flat Bands Top View by Size

The overall appearance of a ring depends greatly on the combination of finger size, width, and thickness of the band. The below graphics could give you an idea about the proportions of a band based on width and finger size. It is best to print this page in 100% scale to review dimensions 1:1.


Size US 4




Size US 5




Size US 6




Size US 7




Size US 8




Size US 9




Size US 10




Size US 11




Size US 12




Size US 13





Size US 12



Size US 15



Print at 100% scale for accurate size reference. When printed, the bars below should measure exactly 2 inches (left) or 5 centimeters (right).




Flat Diamond Bands




Cross Section - Width & Thickness in mm



Top View with Stone Size



Front View - Band Thickness in mm




Standard Material

- 14K White Gold
- 14K Yellow Gold
- 14K Rose Gold


Ask us for a custom quote if you need a different karat gold

Print at 100% scale for accurate size reference. When printed, the bars below should measure exactly 2 inches (left) or 5 centimeters (right).




Full-Round Bands

Cross Section & Band Thickness



Side View (size US 10)



Print at 100% scale for accurate size reference. When printed, the bars below should measure exactly 2 inches (left) or 5 centimeters (right).

